

中华人民共和国机械行业标准

JB/T 75—1994

管路法兰 类型

1994-12-09 发布

1995-10-01 实施




中华人民共和国机械工业部 发布

管路法兰 类型



代替 JB 75—1959

-
- 1 本标准适用于 JB/T 79—86 中规定的管路法兰。
 - 2 法兰的型式、尺寸应符合表 1 的规定。




表 1

结构型式	整 体 法 兰										
简 图											
密封面型式	凸 面			凹 凸 面					榫 槽 面		
标准号	JB/T 79.1	JB/T 79.1	JB/T 79.1	JB/T 79.2	JB/T 79.2	JB/T 79.2	JB/T 79.2	JB/T 79.2	JB/T 79.3	JB/T 79.3	JB/T 79.3
PN MPa DN mm	1.6	2.5	4.0	4.0	6.3	10.0	16.0	20.0	4.0	6.3	10.0
10											
15											
20											
25											
32											
40											
50											
65											
80											
100											
125											
150											
(175)											
200											
(225)											
250											
300											
350											
400											
450											
500											
600											
700											
800											
900											
1000											
1200											
1400											
1600											




续表 1

结构型式	整体法兰				板式平焊法兰					对焊法兰		
简 图												
密封面型式	环 连 接 面				凸 面					凸 面		
标准号	JB/T 79.4	JB/T 79.4	JB/T 79.4	JB/T 79.4	JB/T 81	JB/T 81	JB/T 81	JB/T 81	JB/T 81	JB/T 82.1	JB/T 82.1	JB/T 82.1
PN MPa DN mm	6.3	10.0	16.0	20.0	0.25	0.6	1.0	1.6	2.5	0.25	0.6	1.0
10												
15												
20												
25												
32												
40												
50												
65												
80												
100												
125												
150												
(175)												
200												
(225)												
250												
300												
350												
400												
450												
500												
600												
700												
800												
900												
1000												
1200												
1400												
1600												


续表 1

结构型式	对 焊 法 兰										
简 图											
密封面型式	凸 面			凹 凸 面					榫 槽 面		
标准号	JB/T 82.1	JB/T 82.1	JB/T 82.1	JB/T 82.2	JB/T 82.2	JB/T 82.2	JB/T 82.2	JB/T 82.2	JB/T 82.3	JB/T 82.3	JB/T 82.3
PN MPa DN mm	1.6	2.5	4.0	4.0	6.3	10.0	16.0	20.0	4.0	6.3	10.0
10											
15											
20											
25											
32											
40											
50											
65											
80											
100											
125											
150											
(175)											
200											
(225)											
250											
300											
350											
400											
450											
500											
600											
700											
800											
900											
1000											
1200											
1400											
1600											

续表 1

结构型式	对焊法兰				平焊环板式松套法兰					对焊环板式松套法兰		
简 图												
密封面型式	环 连 接 面				凸 面					凹 凸 面		
标准号	JB/T 82.4	JB/T 82.4	JB/T 82.4	JB/T 82.4	JB/T 83	JB/T 83	JB/T 83	JB/T 83	JB/T 83	JB/T 84	JB/T 84	JB/T 84
PN MPa DN mm	6.3	10.0	16.0	20.0	0.25	0.6	1.0	1.6	2.5	4.0	6.3	10.0
10	—	—	—	—	—	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	—	—	—	—	—
20	—	—	—	—	—	—	—	—	—	—	—	—
25	—	—	—	—	—	—	—	—	—	—	—	—
32	—	—	—	—	—	—	—	—	—	—	—	—
40	—	—	—	—	—	—	—	—	—	—	—	—
50	—	—	—	—	—	—	—	—	—	—	—	—
65	—	—	—	—	—	—	—	—	—	—	—	—
80	—	—	—	—	—	—	—	—	—	—	—	—
100	—	—	—	—	—	—	—	—	—	—	—	—
125	—	—	—	—	—	—	—	—	—	—	—	—
150	—	—	—	—	—	—	—	—	—	—	—	—
(175)	—	—	—	—	—	—	—	—	—	—	—	—
200	—	—	—	—	—	—	—	—	—	—	—	—
(225)	—	—	—	—	—	—	—	—	—	—	—	—
250	—	—	—	—	—	—	—	—	—	—	—	—
300	—	—	—	—	—	—	—	—	—	—	—	—
350	—	—	—	—	—	—	—	—	—	—	—	—
400	—	—	—	—	—	—	—	—	—	—	—	—
450	—	—	—	—	—	—	—	—	—	—	—	—
500	—	—	—	—	—	—	—	—	—	—	—	—
600	—	—	—	—	—	—	—	—	—	—	—	—
700	—	—	—	—	—	—	—	—	—	—	—	—
800	—	—	—	—	—	—	—	—	—	—	—	—
900	—	—	—	—	—	—	—	—	—	—	—	—
1000	—	—	—	—	—	—	—	—	—	—	—	—
1200	—	—	—	—	—	—	—	—	—	—	—	—
1400	—	—	—	—	—	—	—	—	—	—	—	—
1600	—	—	—	—	—	—	—	—	—	—	—	—

续表 1

结构型式	翻边板式松套法兰			法 兰 盖							
简 图											
密封面型式	凸 面			凸 面					凹 凸 面		
标准号	JB/T 85	JB/T 85		JB/T 86.1	JB/T 86.1	JB/T 86.1	JB/T 86.1	JB/T 86.1	JB/T 86.2	JB/T 86.2	JB/T 86.2
PN MPa DN mm	0.25	0.6		0.6	1.0	1.6	2.5	4.0	4.0	6.3	10.0
10	—	—		—	—	—	—	—	—	—	—
15	—	—		—	—	—	—	—	—	—	—
20	—	—		—	—	—	—	—	—	—	—
25	—	—		—	—	—	—	—	—	—	—
32	—	—		—	—	—	—	—	—	—	—
40	—	—		—	—	—	—	—	—	—	—
50	—	—		—	—	—	—	—	—	—	—
65	—	—		—	—	—	—	—	—	—	—
80	—	—		—	—	—	—	—	—	—	—
100	—	—		—	—	—	—	—	—	—	—
125	—	—		—	—	—	—	—	—	—	—
150	—	—		—	—	—	—	—	—	—	—
(175)	—	—		—	—	—	—	—	—	—	—
200	—	—		—	—	—	—	—	—	—	—
(225)	—	—		—	—	—	—	—	—	—	—
250	—	—		—	—	—	—	—	—	—	—
300	—	—		—	—	—	—	—	—	—	—
350	—	—		—	—	—	—	—	—	—	—
400	—	—		—	—	—	—	—	—	—	—
450	—	—		—	—	—	—	—	—	—	—
500	—	—		—	—	—	—	—	—	—	—
600	—	—		—	—	—	—	—	—	—	—
700	—	—		—	—	—	—	—	—	—	—
800	—	—		—	—	—	—	—	—	—	—
900	—	—		—	—	—	—	—	—	—	—
1000	—	—		—	—	—	—	—	—	—	—
1200	—	—		—	—	—	—	—	—	—	—
1400	—	—		—	—	—	—	—	—	—	—
1600	—	—		—	—	—	—	—	—	—	—

附加说明：

本标准由机械工业部机械标准化研究所提出并归口。

本标准由机械工业部机械标准化研究所、哈尔滨锅炉厂起草。

本标准主要起草人李俊英、吴祯家。

中 华 人 民 共 和 国
机 械 行 业 标 准
管路法兰 类型

JB/T 75—1994

★

机械科学研究院出版发行
机械科学研究院印刷
(北京首体南路2号 邮编 100044)

★

开本 880×1230 1/16 印张 1 字数 12,000
1995 年 5 月第一版 1995 年 5 月第一次印刷
印数 1—500 定价 4.00 元
编号 94—149

机械工业标准服务网：<http://www.JB.ac.cn>